

2013 NEW AND SELECTED^{\$} BURLEY TOBACCO VARIETIES

RELATIVE DISEASE RESISTANCE, YIELD SCORES, AND MATURITY

VARIETY	BLACK SHANK		VIRUS COMPL EX	BLACK ROOT ROT	TMV	Fusar- ium WILT	RELATIVE YIELD SCORE ☒	MATURITY
	RACE 0	RACE 1						
ms KY 14 X L8LC	10	0	S	M	R	6	8	Early
KY 907LC	2	2	R	H	R	1	8	Med-Late
KT 200LC	6	6	R	H	R	0	8	Late
KT 204LC	7	7	R	H	R	1	9	Med-Late
KT 206LC [#]	10	7	R	H	R	1	9	Med-Late
KT 209LC	10	8	R	H	R	1	9	Med-Late
KT 210 LC	10	7	S	H	R	5	8	Late
KT 212 LC	10	4	S	H	R	5	8	Early
NC BH 129	1	1	S	H	R	1	7	Med-Early
NC 3**	2	2	R	H	R	1	7	Med-Late
NC 7**	10	3	R	H	R	5	8	Late
NC 2000 ^{&}	0	0	S	L	R	1	4	Late
NC 2002 ^{&}	0	0	R	M	R	0	5	Medium
TN 86LC	4	4	R	H	S	0	6	Late
TN 90LC [#]	4	4	R	H	R	0	5	Medium
TN 97LC	4	4	R	H	R	0	6	Med-Late
HYBRID 403LC	0	0	S	M	R	6	9	Medium
HYBRID 404 LC	0	0	S*	H*	R*	-	9	Medium
HYBRID 501LC	5	5	S	H	R	4	5	Med-Early
N 126	0	0	S	M	R	3	8	Medium
N 777LC	2	2	S	M	S	0	3	Med-Late
N 7371LC	4*	4*	-	-	-	-	7*	Late
NBH 98	2	2	S	M	R	3	5	Medium
HB04PLC	0	0	S	H	R	0	9	Med-Early
HB3307PLC	10*	4*	R*	H*	S	-	8*	Late
HB4488PLC	10*	4*	-	-	-	-	9*	Med-Late
R 610LC	4	4	S	M	-	3	5	Medium
R 630LC	3	3	R	M	R	4	5	Early
R7-12LC	0	0	S	H	R	4	8	Late

^{\$} For an extensive list of varieties go to www.uky.edu/Ag/Tobacco

☒ Relative Yield Scores are based on growth under disease-free conditions.

* Based on a limited number of field tests and subject to change.

** Resistant to root knot nematode (*Meloidogyne incognita*, Races 1 and 3).

Low Resistance to blue mold (*Peronospora tabacina*).

& Medium Resistance to blue mold (*Peronospora tabacina*).

- Resistance not rated for this disease.