

Firestorm Burndown Trial 2006

Andy Bailey

Dark Tobacco Extension Specialist

Univ. of KY / Univ. of TN

Bobby Hill Farm, Murray, KY

Calloway County

Treatments

- Gramoxone Inteon – 1.5 pt/A
- Gramoxone Max – 1.5 pt/A
- Firestorm – 1.5 pt/A

- Treatments applied July 17, 2006 to fallow pasture
- 20 gal/A
- RCBD with 4 replications
- Weed control ratings taken for 3 consecutive days after application.
 - % Burndown, horsenettle, orchardgrass, aster control

Rating 1:

7-18-06, 1 day after application

Treatment	% Burndown	% Horsenettle	% Orchardgrass	% Aster
Gramoxone Inteon	85 a	86 a	70 a	100 a
Gramoxone Max	88 a	89 a	69 a	99 a
Firestorm	88 a	88 a	71 a	100 a
LSD(0.05)	5.0	7.2	4.3	2.5

Rating 2:

7-19-06, 2 days after application

Treatment	% Burndown	% Horsenettle	% Orchardgrass
Gramoxone Inteon	92 a	88 a	73 a
Gramoxone Max	94 a	90 a	74 a
Firestorm	93 a	90 a	76 a
LSD(0.05)	3.2	6.4	4.3

Rating 3:

7-20-06, 3 days after application

Treatment	% Burndown	% Horsenettle	% Orchardgrass
Gramoxone Inteon	97 a	91 a	81 a
Gramoxone Max	98 a	93 a	84 a
Firestorm	98 a	94 a	81 a
LSD(0.05)	0.9	5.2	5.0