

CORESTA Sub-Group TSNA in Air-Cured and Fire-Cured Tobacco

Andy Bailey

Univ. of Kentucky / Univ. of Tennessee

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

- 6 original objectives
 - Subcommittees assigned to address each objective
- 3 objectives completed or dropped

Objectives Completed or Dropped

- Obj. 1: Survey of critical farmer practices – completed
- Obj. 2: Collaborative study to investigate standard deviation of moisture content of marketing packages – dropped
 - Initial moisture content of marketing package not as important as storage environment of marketing packages.
- Obj. 3: Develop standardized nornicotine screening protocol so that baseline levels of nornicotine are comparable in tobacco seed varieties used by investigators - completed
 - Agreed that Univ. of KY screening protocol could be used without adding “LC” to variety name, only include acknowledgement that this protocol was used. If “LC” is added to name, Univ. of KY protocol must be used.

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

■ Objective 4:

Develop a collaborative study which uses HOBO data loggers or similar instruments to collect curing conditions and possible impact of TSNA levels for tobaccos of diverse origins and curing environments. Attempt to standardize placement of equipment.

Chair: Vacant

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

- Objective 4 status: nearing completion
 - Cooperative study conducted in 2008 and 2009 by Virginia Tech and Univ. of TN:
 - directly compare the influence of growing and curing environments
 - compare environmental data from HOBO meters placed on tier rails between tobacco and within tobacco during air-curing of burley.

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

Objective 4 Status

- Results of collaborative experiment:
 - indicated that growing environment also impacts TSNA formation
 - Suggested that at low temperatures, RH has lesser influence on TSNA
- When evaluating TSNA across many environments, too much variability to confirm that higher RH and higher temp always result in higher TSNA.

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

Objective 4 Status

- Draft written on recommendations for placement of data logging instruments in curing structures and given to subgroup members for review.
 - Waiting for final comments on meter placement draft from all subgroup members
 - Dr. Lowell Bush (University of Kentucky) has additional information on meter placement that may also be added.

Proposed Graduate Student Study Grant Project Relative to Objective 4 (Placement of Meters in Barns)

- Spacial analysis of curing conditions and corresponding TSNA levels at various locations within curing barns
- 2 barns in KY (Princeton and Lexington) will be housed with dark air-cured tobacco and approx. 27 meters to monitor conditions
 - screened and high-converter tobacco of the same variety
- Samples of screened and high converter tobacco will be collected near each meter at takedown.
- Correlation between curing conditions (temp and RH) and resulting TSNA levels across each barn will be evaluated.
- Potential graduate student identified
- Hope to begin project in Fall 2012

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

■ Objective 5:

Resolve sample handling of post-cure tobacco for TSNA analysis.

Chair: Marlene Adams, R.J. Reynolds Tob. Co.

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

- Objective 5 status: reevaluation
 - Protocol developed but under reevaluation
 - Protocol should address methods for sampling plants and for sampling bales.
 - Concerns expressed over maximum temperature given on protocol for air-drying samples (35 C)
 - Group agreed to review sampling protocols from various companies to find consensus in sampling methodology.
 - 2 additional sampling protocols submitted to subgroup from ITB and JT

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

- New revised protocol drafted based on review of additional protocols and input from subgroup
- Waiting on any final comments from subgroup
- Final protocol will be submitted to scientific commission

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

■ Objective 6:

Review issues of post-cure tobacco storage and ventilation parameters.

Chair: Lowell Bush, Univ. of KY

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

■ Objective 6 status: near completion

Experiments have been conducted and data collected.
Report completed.

- Proposed that group should also evaluate post cure storage conditions in areas of Africa and develop a checklist of critical questions to help facilitate collection of information.
 - Suggested that representatives from Malawi be contacted to provide information on range of post cure storage conditions in Africa.

CORESTA Sub-Group

TSNA in Air-Cured and Fire-Cured Tobacco

- New initiatives of group:
 - Development of general guidelines/best production practices for reducing TSNA in air-cured tobacco
- TSNA SG reports available now on TSNA SG website.
- All documents of TSNA SG will be made available on new CORESTA website