

Burley Variety Guide, 2023-2024

New and Selected [§] Burley Tobacco Varieties - Relative Disease Resistance, Yield Scores, and Maturity.								
VARIETY	BLACK SHANK		VIRUS COMPLEX	BLACK ROOT ROT	TMV	FUSARIUM WILT	RELATIVE YIELD SCORE [⊠]	MATURITY
	RACE 0	RACE 1						
ms KY 14 XL8LC	10	0	S	M	R	6	8	Early
KT 200LC	6	6	R	H	R	0	8	Late
KT 204LC	7	7	R	H	R	1	8	Med-Late
KT 206LC [#]	10	6	R	H	R	1	8	Med-Late
KT 209LC	10	8	R	H	R	1	8	Med-Late
KT 210LC	10	8	S	H	R	5	8	Late
KT 212LC	10	4	S	H	R	5	6	Early
KT 215LC	10	9	S	H	S	8	8	Late
KT 219LC	10	8	S	H	R	4	7	Early
KT 222LC*	10	9	S	H	R	7	9	Late
NC BH 129LC	1	1	S	H	R	1	7	Med-Early
NC 7LC**	10	4	R	H	R	5	8	Late
TN 86LC	4	4	R	H	S	0	6	Late
TN 90LC [#]	4	4	R	H	R	0	5	Medium
TN 97LC	4	4	R	H	R	0	6	Med-Late
HYBRID 403LC	0	0	S	M	R	6	9	Medium
HYBRID 404LC	0	0	S*	H*	R*	4	9	Medium
N 126LC	0	0	S	S	R	3	8	Medium
N 777LC	2	2	S	M	S	0	3	Med-Late
N 7371LC	4	4	S	-	-	5	7	Late
NBH 98LC	2	2	S	M	R	3	5	Medium
HB04PLC	0	0	S	H	R	0	7	Med-Early
HB3307PLC	10	5	R	H	S	3	8	Late
HB4488PLC	10	4	R	H	-	3	8	Late

\$ For an extensive list of varieties go to <http://www.uky.edu/Aq/Tobacco>

[⊠] Relative yield scores are based on growth under disease-free conditions.

* Based on a limited number of field tests and subject to change.

** Resistant to root knot nematode (*Meloidogyne incognita*, Races 1 and 3).

[#] Low resistance to blue mold (*Peronospora tabacina*).

- Resistance not rated for this disease